

ОБМОТОЧНЫЕ ДАННЫЕ ЭЛЕКТРОДВИГАТЕЛЕЙ

серия 4А

Тип	Р кВт	Ток А	N	d мм	M кг	γ	Di	L1	Z1	Z2
4A50A2	0,09	0,31	450	0,27	0,44	7;5	41	42	12	9
4A50B2	0,12	0,46	394	0,31	0,53	7;5	41	50	12	9
4A50A4	0,06	0,31	635	0,27	0,48	3	46	42	12	15
4A50B4	0,09	0,46	500	0,31	0,55	3	46	50	12	15
4A56A2	0.18	0,55	166	0.29	0.4	11;9	48	47	24	18
4A56B2	0.25	0,73	143	0.33	0.46	11;9	48	56	24	18
4A56A4	0.12	0,44	254	0.29	0.5	7;5	55	47	24	18
4A56B4	0.18	0,67	203	0.33	0.55	7;5	55	56	24	18
4A63A2	0.37	0,93	126	0.38	0.55	11;9	54	56	24	18
4A63B2	0.55	1,33	101	0.44	0.62	11;9	54	65	24	18
4A63A4	0.25	0,86	169	0.38	0.61	7;5	61	56	24	18
4A63B4	0.37	1,2	137	0.41	0.61	7;5	61	65	24	18
4A63A6	0.18	0,79	170	0.33	0.62	7;5	65	56	36	28
4A63B6	0.25	1,04	131	0.41	0.85	7;5	65	75	36	28
4A71A2	0.75	1,7	89	0.53	0.91	11;9	65	65	24	20
4A71B2	1.1	2,5	73	0.59	0.96	11;9	65	74	24	20
4A71A4	0.55	1,7	113	0.53	0.92	7;5	70	65	24	18
4A71B4	0.75	2,17	95	0.57	0.94	7;5	70	74	24	18
4A71A6	0.37	2,17	114	0.47	0.97	7;5	76	65	36	28
4A71B6	0.55	1,26	85	0.53	1.08	7;5	76	90	36	28
4A71B8	0.25	1,05	148	0.41	0.95	5;3+5	76	74	36	28
4A80A2	1.5	3,3	61	0.8	1.59	11;9	74	78	24	20
4A80B2	2.2	4,7	48	0.93	1.82	11;9	74	98	24	20
4A80A4	1.1	2,7	60	0.67	1.36	11;9;7	84	78	36	28
4A80B4	1.5	3,5	49	0.74	1.49	11;9;7	84	98	36	28
4A80A6	0.75	1,35	82	0.59	1.24	7;5	88	78	36	28

4A80B6	1.1	1,75	58	0.72	1.58	7;5	88	115	36	28
4A80A8	0.37	0,85	121	0.49	1.16	5;3+5	88	78	36	28
4A80B8	0.55	1,15	91	0.57	1.33	5;3+5	88	98	36	28
4A90L2	3.0	6,1	44	1.08	2.51	11;9	84	100	24	20
4A90L4	2.2	5,02	40	0.9	1.92	11;9;7	95	100	36	28
4A90L6	1.5	4,1	51	0.83	1.95	7;5	100	110	36	28
4A90LA8	0.75	2,7	74	0.67	1.58	5;3+5	100	100	36	28
4A90LB8	1.1	3,5	58	0.77	1.91	5;3+5	100	130	36	28
4A100S2	4	7,8	38 × 2	0.96	3.78	11;9	95	100	24	20
4A100L2	5.5	10,5	30 × 2	1.08	4.12	11;9	95	130	24	20
4A100S4	3	6,7	35	1.12	2.81	11;9;7	105	100	36	28
4A100L4	4	8,6	28	1.3	3.39	11;9;7	105	130	36	28
4A100L6	2.2	5,65	43	1.04	2.81	7;5	113	120	36	28
4A100L8	1.5	4,7	56	0.93	2.71	5;3+5	113	120	36	28

Тип	Р кВт	Ток А	d мм	М кг	γ	Di	Z1	Z2
4A112M2	7.5	15	1.25	4.81	11;9	110	24	22
4A112M4	5.5	11,5	1.4	3.61	11;9;7	126	36	34
4A112MA6	3.0	7,4	1.12	3.09	11;9;7	132	54	51
4A112MB6	4	9,1	1.25	3.51	11;9;7	132	54	51
4A112MA8	2.2	6,1	1.04	3.03	7;5	132	48	44
4A112MB8	3	7,8	1.2	3.68	7;5	132	48	44
4A132M2	11	21,0	1.2	6.06	11;9	130	24	19
4A132S4	7.5	15	1.25	5.27	11;9;7	145	36	34
4A132M4	11	22	1.04	6.14	11;9;7	145	36	34
4A132S6	5.5	12	1.04	4.33	11;9;7	158	54	51
4A132M6	7.5	16	1.2	5.1	11;9;7	158	54	51
4A132S8	4.0	10,0	1.4	4.28	7;5	158	48	44

4A132M8	5.5	14,0	1.08	4.72	7;5	158	48	44
4A160S2	15.0	27,8	1.2	9	12	155	36	28
4A160M2	18.5	33,7	1.3	9.7	12	155	36	28
4A160S4	15	28,6	1.25	9.9	11;9	185	48	41
4A160M4	18.5	34,2	1.4	11.3	11;9	185	48	41
4A160S6	11	22,1	1.16	7.9	11;9;7	197	54	50
4A160M6	15	29,5	1.35	9.2	11;9;7	197	54	50
4A160S8	7.5	17,6	0.93	7.2	7;5	197	48	44
4A160M8	11	25,3	1.08	8.4	7;5	197	48	44
4A180S2	22	40,6	1.25	12.5	11	171	36	28
4A180M2	30	54,2	1.5	14.8	12	171	36	28
4AH180S2	37	-	1.5	14	11	171	36	28
4A180S4	22	40	1.25	13.2	11;9	211	48	38
4A180M4	30	54,4	1.25	14.5	11;9	211	48	38
4AH180S4	30	-	1.62	14.3	10	211	48	38
4AH180M4	37	-	1.25	15.2	10	211	48	38
4A180M6	18.5	36	1.35	12.1	10	220	72	58
4AH180S6	18.5	-	1.5	11.6	10	220	72	58
4AH180M6	22	-	1.16	12.5	10	220	72	58
4AH180S8	15	32,3	1.25	11.7	7	220	72	58
4AH180M8	18.5	-	1.4	14	7	220	72	58

Тип	Р кВт	N	a	M кг	γ	Da	L1	Z1	Z2
4A200M2	37	(10+10)4	2	19.7	11	349	130	3 6	28
4A200L2	45	(8+9)5	2	21	11	349	160	3 6	28
4AH200M2	55	(8+8)6	2	20.6	11	349	160	3 6	28

4AH200L2	75	(6+7)6	<u>2</u>	22.4	<u>11</u>	349	200	³ ₆	28
4A200M4	37	(9+8)4	<u>2</u>	17.6	<u>10</u>	349	170	⁴ ₈	38
4A200L4	45	(7+7)5	<u>2</u>	20.5	<u>10</u>	349	215	⁴ ₈	38
4AH200L4	55	(6+7)4	<u>2</u>	20.4	<u>10</u>	349	215	⁴ ₈	38
4A200M6	22	(14+14)2	<u>3</u>	15.9	<u>10</u>	349	160	⁷ ₂	58
4A200L6	30	(11+11)2	<u>3</u>	16.8	<u>10</u>	349	185	⁷ ₂	58
4AH200M6	30	(12+12)2	<u>3</u>	15.9	<u>10</u>	349	160	⁷ ₂	58
4AH200L6	37	(9+9)3	<u>3</u>	17.8	<u>10</u>	349	215	⁷ ₂	58
4A200M8	18.5	(11+11)2	<u>2</u>	13.5	<u>7</u>	349	160	⁷ ₂	58
4A200L8	22	19+19	<u>4</u>	14.5	<u>7</u>	349	185	⁷ ₂	58
4AH200M8	22	(10+10)3	<u>2</u>	14.9	<u>7</u>	349	185	⁷ ₂	58
4AH200L8	30	(14+14)2	<u>4</u>	18.6	<u>7</u>	349	260	⁷ ₂	58
4A225M2	55	(7+8)6	<u>2</u>	24.8	<u>11</u>	392	180	³ ₆	28
4AH225M2	90	(6+6)7	<u>2</u>	24.7	<u>11</u>	392	180	³ ₆	28
4A225M4	55	(13+13)3	<u>4</u>	25.8	<u>10</u>	392	200	⁴ ₈	38
4AH225M4	75	(6+6)6	<u>2</u>	25.5	<u>10</u>	392	200	⁴ ₈	38

4A225M6	37	(10+10)3	<u>3</u>	21.3	<u>10</u>	392	175	7 2	56
4AH2256	45	(10+9)3	<u>3</u>	21.8	<u>10</u>	392	175	7 2	56
4A225M8	30	(8+8)3	<u>2</u>	19.4	<u>7</u>	392	175	7 2	56
4A250S2	75	(4+5)8	<u>2</u>	33	<u>14</u>	437	200	4 8	40
4A250M2	90	(4+4)9	<u>2</u>	34.8	<u>14</u>	437	230	4 8	40
4AH250S2	110	(4+4)9	<u>2</u>	32.5	<u>14</u>	437	190	4 8	40
4AH250M2 *	132	(6+6)6	<u>2</u>	34.4	<u>14</u>	437	220	4 8	40
4A250S4	75	(9+9)4	<u>4</u>	39.6	<u>12</u>	437	200	6 0	50
4A250M4	90	(8+8)5	<u>4</u>	43.8	<u>12</u>	437	220	6 0	50
4AH250S4	90	(9+9)4	<u>4</u>	38.1	<u>12</u>	437	200	6 0	50
4AH250M4 *	110	(14+14)3	<u>4</u>	37.2	<u>12</u>	437	260	6 0	50
4A250S6	45	(9+9)4	<u>3</u>	26.6	<u>10</u>	437	180	7 2	56
4A250M6	55	(7+8)4	<u>3</u>	27	<u>10</u>	437	200	7 2	56
4AH250S6	55	(8+9)	<u>3</u>	27.1	<u>10</u>	437	180	7 2	56
4AH250M6 *	75	(11+11)3	<u>3</u>	29.9	<u>10</u>	437	240	7 2	56
4A250S8	37	(15+15)2	<u>4</u>	22.7	<u>7</u>	437	180	7 2	56

4A250M8	45	(12+12)2	4	26.8	7	437	220	72	56
4AH250S8	45	(12+13)3	4	23.8	7	437	200	72	56
4AH250M8	55	(10+11)3	4	27.6	7	437	240	72	56